


Coated abrasive rolls are designed for fast and easy sanding of various surfaces, and can be torn to exact lengths as needed. Handy rolls are packaged in a protective, convenient dispenser which eliminates costly waste and permits neat, easy storage.



Typical Applications

Paper Rolls

- Preparing primed and painted surfaces
- Sanding plastic and fiberglass
- Bare wood sanding
- Ideal for hand/portable sanders

Cloth Rolls

- Polishing lathe turnings, rolls and cylinders
- Light deburring
- Blending machine tool marks
- Removing rust and scale
- Fine sanding and polishing



Paper Rolls

BEST No-Fil Norton SG Dry Ice A975 PSA Paper Rolls – Longest life

FEATURES	BENEFITS
<ul style="list-style-type: none"> • Patented Norton SG ceramic aluminum oxide abrasive, P-graded 	<ul style="list-style-type: none"> • Fastest cut rate; longest life • Consistent finish
<ul style="list-style-type: none"> • Unique fiber-reinforced, B-wt latex-saturated backing 	<ul style="list-style-type: none"> • 50-60% improvement in tear strength • Flexible; can be used wet
<ul style="list-style-type: none"> • Water-based stearate, non-pigmented, No-Fil coating 	<ul style="list-style-type: none"> • Provides maximum load resistance and extended life; no color transfer to work
<ul style="list-style-type: none"> • PSA coated backing 	<ul style="list-style-type: none"> • Easy mounting and removal
<ul style="list-style-type: none"> • New, increased backing weight for P80, P100 and P120 grits from B-wt to C-wt fiber-reinforced latex 	<ul style="list-style-type: none"> • Increased tear and tensile strength while maintaining flexibility • More durable; longer life in more demanding applications improved!



BETTER No-Fil Adalox A275 PSA Paper Rolls – Exceptional dry sanding


FEATURES	BENEFITS
<ul style="list-style-type: none"> • Premium P-graded, heat-treated aluminum oxide abrasive 	<ul style="list-style-type: none"> • Superior life; consistent finish
<ul style="list-style-type: none"> • High strength, B-wt latex backing 	<ul style="list-style-type: none"> • Superior strength, reduced edge-wear
<ul style="list-style-type: none"> • Non-pigmented stearate (No-Fil), open coat 	<ul style="list-style-type: none"> • Reduces loading, no color transfer to work surface
<ul style="list-style-type: none"> • PSA coated backing 	<ul style="list-style-type: none"> • Easy mounting and removal



GOOD No-Fil Adalox A290 Paper Rolls – Unrivalled durability and value for dry finishing

FEATURES	BENEFITS
<ul style="list-style-type: none"> • P-graded aluminum oxide abrasive 	<ul style="list-style-type: none"> • Increased life, fast cut rate, consistent finish
<ul style="list-style-type: none"> • Heavy-duty C-wt backing 	<ul style="list-style-type: none"> • Edge-tear resistance, durable
<ul style="list-style-type: none"> • Stearated (No-Fil), open coat 	<ul style="list-style-type: none"> • Reduced loading





HAND SANDING

JITTERBUG SANDER

PSA (Pressure Sensitive Adhesive) Paper Rolls

All rolls are measured in inches x yards.

GRIT	MIN./STD. PKG.	BEST A975*			BETTER A275*			GOOD A290*		
		2-3/4" X 25 YDS.	2-3/4" X 30 YDS.	2-3/4" X 45 YDS.	2-3/4" X 25 YDS.	2-3/4" X 30 YDS.	2-3/4" X 45 YDS.	4-1/2" X 10 YDS.	2-3/4" X 20 YDS.	2-3/4" X 25 YDS.
80	1/5	66261149566			66261131691			66261131697	66261160325	
100			66261148565			66261131690		66261131696		
120			66261149564			66261131689		66261131695		
150							66261131688	66261131694		66261160324
180				66261149562			66261131687	66261131693		66261160323
220				66261149561			66261131686	66261131692		66261160322
240							66261131685			
320				66261149558			66261131683			66261160321
400				66261149557			66261131681			66261160352
600							66261131679			

* P-GRADED

PSA Roll Dispenser

Designed to accommodate two 2-3/4" PSA rolls, this heavy-duty wire dispenser has a vinyl coating to protect the work surface. They are stackable for multi-grit operations and can be attached to a wall or mounted on a cabinet.



DESCRIPTION	STD. PKG.	UPC NO.
PSA Roll Dispenser	1	63642542773

PSA Hand Sanding Blocks new!

Their unique ergonomic shape and embossed rubber faces (for good PSA sheet roll adhesion) make these blocks the choice for finishing surfaces. The firm design is constructed of sturdy, high-strength material to produce a true flat surface. The soft design, constructed of flexible, yet tough foam, works well on flat surfaces and contours.



DESCRIPTION	STD. PKG.	UPC NO.
2-3/4 x 5 Soft	5	63642542090
2-3/4 x 5 Firm	5	63642542091
2-3/4 x 7-3/4 Firm	5	63642542094

Rubber Hand Sanding Block

A resilient rubber block that conforms well to mild contours and flat surfaces. Cut 2-3/4" rolls are securely held by slotted "jaws" at each end of the block to permit quick, easy, roll changes.



DESCRIPTION	STD. PKG.	UPC NO.
2-3/4 x 5	5	07660701889



FastTrack Rolls

Norton offers FastTrack delivery on your customized, made-to-order R228 and K225 fifty-yard rolls. Contact your local distributor or Norton sales representative for details.

Description


- Width: 2" – 12"
- Length: 50 yards
- Leadtime: 5 days
- Aluminum Oxide Cloth, R228, K225

Ordering

- Include a full description of roll required, including:
 - Size
 - Specification
 - Grit size
 - Quantity

FastTrack Roll Quantity Availability

Width	Minimum Qty.	Maximum Qty.
2" to <3"	5 Rolls	10
3" to <4"	4 Rolls	8
4" to <5"	3 Rolls	6
5" through 7"	2 Rolls	4
>7" through 12"	1 Roll	2



Cloth Rolls

GOOD Metalite K225 Cloth Rolls – For general purpose metalworking applications

FEATURES	BENEFITS
• Premium P-graded aluminum oxide abrasive	• Greater cut rate than competitive products
• Flexible J-wt cotton backing	• Superior conformability to complex surfaces and better finishes
• Advanced full resin bond system	• Exceptional grain adhesion for longer life
• new! 40 grit offering	• Quick, clean action

expanded offering!



GOOD Lightning Metalite K227 Cloth Rolls – The choice for quality metal finishing

FEATURES	BENEFITS
• P-graded aluminum oxide abrasive grain	• Fast cut rate and consistent finish
• Flexible J-wt cotton backing	• Superior conformity to complex surfaces and better finishes
• Resin bond system	• Longer life
• new! 100 and 150 grit offering	• Smooth finishes

expanded offering!



GOOD Screen-Bak Durite Q421 Rolls – Washable, ideal for drywall applications

FEATURES	BENEFITS
• P-graded silicon carbide on open mesh backing	• Extreme resistance to loading when removing scale, rust and corrosion
	• Waterproof



Handy Rolls and Other Cloth Rolls

All rolls measured in inches x yards.

GRIT	MIN./STD.PKG.	GOOD K225*				
		1" X 10 YDS.	1" X 50 YDS.	1-1/2" X 50 YDS.	2" X 50 YDS.	4" X 50 YDS.
40 new!	1/5		66261058716*	66261058715*	66261058714*	
50			66261127728*	66261127730*	66261127732*	
60			66261127729*	66261127731*	66261127733*	
80		66261134298	66261126276	66261126288	66261126299	
100		66261134299	66261126275	66261126287	66261126298	
120		66261134300	66261126274	66261126286	66261126297	66261127285
150		66261134301	66261126273	66261126285	66261126296	
180		66261134302	66261126272	66261126284	66261126295	
220			66261126271	66261126283	66261126294	
240		66261134303	66261126270	66261126282	66261126293	
280			66261126269	66261126281	66261126292	
320		66261134304	66261126268	66261126280	66261126291	
400			66261126267	66261126279	66261126290	
600			66261126266	66261126278	66261126289	

GRIT	MIN./STD.PKG.	GOOD K227*			GOOD Q421*†	
		1" X 50 YDS.	1-1/2" X 50 YDS.	2" X 50 YDS.	1-1/2" X 25 YDS.	2" X 25 YDS.
80	1/5	66261109180	66261109255	66261109335	66261107275**	
100 new!		66261058721	66261058719	66261109330		
120		66261109170	66261109245	66261109325	66261107270**	66261149811**
150 new!		66261058720	66261058717	66261109320		
180		66261109160	66261109235	66261109315	66261107265**	
240			66261109225	66261109305		
280		66261109150				
320		66261109140	66261109215	66261109295		

* P-GRADED
† WATERPROOF
* SUPPLIED IN METALITE K224 – P-GRADED
** PACKAGING STANDARDS:
MIN. QTY./STD. PKG.: Q421: 1/10

TECHtip



Use light machine oil with cloth rolls as a lubricant for finer finishes and quicker cut.

! It is the user's responsibility to refer to and comply with ANSI B7.7